



HAFNARFJARÐARBÆR
SKIPULAGS- OG BYGGINGAFULLTRÚI
Strandgötu 8-10, 220 Hafnarfjörður
Sími 585 5600 Fax 585 5609

Hafnarfjarðarbær
Innk: 1616116
Málsnr: 1606302
Eréfal: 521

UMSÓKN

Umsókn um byggingarleyfi

Afgreiðsla skipulags- og byggingarfulltrúa

1. Umsækjandi

Nafn umsækjanda/eiganda	Kennitala	Heimilisfang	Netfang
Valhús	451104-2330		

2. Lóð

Heiti	Nr.	Staðgreinir	Matshluti	Landnúmer
Bjarkarvelli 1				

3. Tegund byggingar / framkvæmdar

Einbýlishús
 Parhús
 Raðhús
 Fjölbýlishús
 Atvinnuhúsnæði
 Skilti
 Annað, hvað?

4. Framkvæmd sem sótt er um

Aðrar upplýsingar varðandi framkvæmd	Framkvæmd	Aðalbyggingarefni
Breyting á byggisamningnum	<input type="checkbox"/> Ný framkvæmd / nýbygging <input type="checkbox"/> Viðbygging <input type="checkbox"/> Breyting inni <input checked="" type="checkbox"/> Breyting úti	<input type="checkbox"/> Steinsteypa <input type="checkbox"/> Timbur <input type="checkbox"/> Stál <input type="checkbox"/> Gler

5. Meðfylgjandi gögn og upplýsingar varðandi umsókn

Uppdráttarblöð í þríriti
 Samþykki nágranna
 Frávik frá skilmálum/breyting á landhotkun
 Mæliblað
 Ástandsskýrsla
 Umsógn Húsfriðunarnefndar ríkisins
 Hæðarblað
 Breytingar á eignaskiptum
 Vottunbyggingareininga
 Bréf umsækj./hönnuða
 Starfsleyfisskyld atvinnustarfsemi
 Skráningartafla
 Samþykki meðeig. / -lóðarhafa
 Brunavarnaupprættir
 Gátlisti

6. Undirritun

Við byggingarframkvæmdir sem sótt er um verður farið eftir ákvæðum byggingarlaga, byggingarreglugerðar og annarra laga og reglugerða sem við eiga.

Í fullu umboði lóðarhafa, staður

dagsetning: 16/6/16

Nafn	Kennitala	Heimilisfang	Netfang/Sími
Lúðvígur Alþó	300368-2709		895-0068

Kvittun fyrir móttöku



Hydrographical conditions

Hydrographical conditions are described in detail in the report, covering various aspects of the water body's characteristics.

The water level is generally high, and the current is strong, particularly in the central part of the bay.

The water temperature is high, and the salinity is low, indicating a strong influence of freshwater inflow.

The water is generally clear, but there are occasional periods of turbidity, particularly in the lower part of the bay.

The water is generally calm, but there are occasional periods of roughness, particularly in the upper part of the bay.

The water is generally shallow, but there are occasional periods of deepening, particularly in the lower part of the bay.

The water is generally warm, but there are occasional periods of cooling, particularly in the lower part of the bay.

The water is generally soft, but there are occasional periods of hardening, particularly in the lower part of the bay.

The water is generally light, but there are occasional periods of darkening, particularly in the lower part of the bay.

The water is generally clear, but there are occasional periods of turbidity, particularly in the lower part of the bay.

The water is generally calm, but there are occasional periods of roughness, particularly in the lower part of the bay.

The water is generally shallow, but there are occasional periods of deepening, particularly in the lower part of the bay.

The water is generally warm, but there are occasional periods of cooling, particularly in the lower part of the bay.

The water is generally soft, but there are occasional periods of hardening, particularly in the lower part of the bay.

The water is generally light, but there are occasional periods of darkening, particularly in the lower part of the bay.